

Innocard

Minerva



GDC83-4203

MCIO 38pin PCIe 4.0 to U.3 (SFF-8639) Cable

Length : 50cm



MCIO 38pin PCIe 4.0 to U.3 (SFF-8639) Cable, 50cm



11	R1007028XX	WIRE,28AWG,UL1007,VW-1	A/R
10	HMRP45NT1	PE:LOW DENSITY,CLEAR,HF	A/R
9	R1007018XX	WIRE:18AWG,UL1007	A/R
8	HMMTPXXXXX	TAPE,BLK,HF	A/R
7	(R)10115M02	SATA CONN:15P,M,BRS,G/F,LCP,V0,BLK	1
6	HMTBDXXXXX	EXPAND0 TUBE:BLACK,VW-1,HF	A/R
5	H0330230CX	WIRE,30AWG,UL3302,OD0.55,FR-XLPE,VW-1,NO MARKING,HF	A/R
4	RMRPV45092	PVC,45P,V0,BLACK	A/R
3	AST8639-0020	SFF8639 STR PLUG Gen5 no PCB	1
2	MCIO-38ST-04-V	MINI COOLEEDGE 4XSTR CONNECTOR WITH PULL TAB	1
1	HWSS300172	SAS CBL:UL22258,30#1P+2D+C+AM,VW-1,850HM,BLU,HF	A/R
ITEM	P/N	DESCRIPTION	QTY

MCIO 38pin PCIe 4.0 to U.3 (SFF-8639) Cable, 50cm

Wire Table

P2	E3	P1	P2	P3	P4	P5	P6	P7	P8	P9			P12	P13	P14	P15	
P3	P1.P2.P3	-----				P4	P5	P6	P7	P8	P9	P10	P11	P12	P13	P14	P15
SYMBOL	3.3V	-----				GND			5V			GND		12V			
WIRE AWG	28AWG	-----				18AWG			18AWG			28AWG		18AWG			
WIRE COLOR	ORG	-----				BLACK			RED			BLACK		YELLOW			

Pin-out assignment

P1 / MCIO 38P

P2 / U.3(SFF-8639)

GND	B19		S25	GND
PETn3	B18		S24	PETn3
PETp3	B17		S23	PETp3
GND	B16		S19/S22	GND
PETn2	B15		S18	PETn2
PETp2	B14		S17	PETp2
GND	B13		E9/S16	GND
REFCLKn	B12		E8	REFCLKn
REFCLKp	B11		E7	REFCLKp
GND	B10		S15	GND
PWRDIS	B9		P3	PWRDIS
WAKE#	B8		P1	WAKE#
GND	B7		S11	GND
PETn1	B6		S10	PETn1
PETp1	B5		S9	PETp1
GND	B4		S4/S8	GND
PETn0	B3		S3	PETn0
PETp0	B2		S2	PETp0
GND	B1		S1	GND
GND	A19		S25	GND
PERn3	A18		S26	PERn3
PERp3	A17		S27	PERp3
GND	A16		S28	GND
PERn2	A15		S20	PERn2
PERp2	A14		S21	PERp2
GND	A13		S22	GND
CLKREQ#	A12		E4	CLKREQ#
PERST#	A11		E5	PERST#
GND	A10		E12/E15/E19/E22	GND
2W-DATA	A9		E24	2W-DATA
2W-CLK	A8		E23	2W-CLK
GND	A7		S14	GND
PERn1	A6		S12	PERn1
PERp1	A5		S13	PERp1
GND	A4		S4/S11	GND
PERn0	A3		S5	PERn0
PERp0	A2		S6	PERp0
GND	A1		S7	GND