








PS0401 Assembly Guide


Before Assembly

1. Please read through the installation guide first.
2. Please check the accessory list before the integration.
Contact your local distributor if you find any parts missing.
3. Please retain the original package if you need to return the package for RMA.

Assembling Accessories

		
M3x3 Screw*1	M3x5 Screw*1	M3 Nut*1
		
Copper Nut H: 1.45mm*1	(for Bracket) M3x5 Screw*3	PCI-e Bracket*1
		
PS0401 Adapter*1		
Required Tools (Not included)		
All you need to assemble this unit are one screwdriver.		
		



Assembly



**STEP 1.
Assembly Bracket & Adapter**
Fix PCI-e bracket and adapter with M3x5 screw

STEP 2. Make M.2 SSD Stand


Put copper nut on the same side of the NGFF connector; fix with M3x5mm screw from bottom to top of the adapter.



**STEP 3.
Insert M.2 SSD**
Insert M.2 NGFF SSD into M.2 67pin socket. Press down M.2 NGFF SSD and aim to the copper nut hole.

STEP 4. Fixed M.2 SSD


Using M3 nuts to fixed M.2 NGFF SSD on the adapter, namely complete the installation.



If your M.2 NGFF SSD is 2280 form factor, pls ignore STEP 2. Use M3 x 3 Screw to fix M.2 NGFF SSD.


LED display status :

M.2 SSD SATA I/F :



- LED3 ON indicate M.2 / SATA III device power OK
- LED4 indicate active status

M.2 SSD PCI-e 2 Lanes I/F :



- LED1 ON indicate PS0401 adapter Ready
- LED2 & LED3 / OFF (both) indicate M.2 / PCI-e 2 Lanes device power OK

M.2 SSD PCI-e 4 Lanes I/F :



- LED1 ON indicate PS0401 adapter Ready
- LED2 ON indicate M.2 / PCI-e 4 Lanes device power OK