



MINERVA

S301F Converter Card

Performance & Burn In Test Rev. 1. 0

Table of Contents

1. Overview

2. Performance Measurement Tools and Results

2.1 Test Platform

2.2 Test target and mSATA SSD

2.3 Install Hardware

2.4 BIOS & Windows 10 OS environment setup

2.5 CrystalDiskMark 6.0 x64 performance test

2.6 AS SSD Benchmark 1.9 performance test

2.7 ATTO Disk Benchamrk 3.05 performance test

2.8 AnvilBenchmark_V110_B337 Benchmark performance test

3. Burn In Tests and Results

3.1 BurnInTest v8.1 Pro burn in test

4. Summary

S301F Converter Card

1. Overview

S301F adapter, providing M.2 B-key, Mini PCI-e connector and CFast connector can be M.2 SATA SSD, or mSATA SSD, or CFast Card converted into SATA.

2. Tools and Results of Performance Measurement

2.1 Test Platform

M/B : GIGABYTE **Z170X UD5 TH**
CPU : Intel **i5-6500**, 3.2GHz/ 6M Cache/ LGA1150
Memory : Kingston **KVR21N15D8/8**, **DDR4-2133MHz**, **16GB**(8GB DIMM*2)
ATX Power : FSP RAIDER 550, **550W ATX**, 12V V2.2 Power Supply
Graphic : Z170 Chipsets built-in **HD Graphics 530**
OS : Microsoft **Windows 10 64bit OS**

2.2 Test target: S301F adapter with mSATA **512GB**



S301F Adapter



Micron 512GB mSATA SSD

2.3 Install Hardware

Insert M.2 SATA SSD, or mSATA , or CFast Card into S301F converter's M.2 B-key, or mini PCIe, or CFast connector, and then with coppers, and screws to fix SSDs. (Please refer to the Installation Notes). Then connect S301F converter to SATA port of GIGABYTE **Z170X UD5 TH**

2.4 BIOS & Windows 8.1 OS environment setup

2.4.1 Primary SSD Drive installs win10 64bit OS


S301F Converter Card

2.4.2 Tested Target mSATA SSD is formatted to NTFS Mode. Don't install any program.

2.5 CrystalDiskMark 6.0 x64 performance test

※Benchmark (Sequential Read & Write / default = 1MB)


2.5.1 show [Micron 512GB\(MTFDDAT512MAY mSATA SSD\)](#) performance as below:



2.6 AS SSD Benchmark 1.9 performance test

※Benchmark (Read & Write by MB/s, default block size = 16MB)


2.6.1 show [Micron 512GB\(MTFDDAT512MAY mSATA SSD\)](#) performance as below:



S301F Converter Card

2.7 ATTO Disk Benchmark 3.05 performance test

2.7.1 show [Micron 512GB \(MTFDDAT512MAY mSATA SSD\)](#) performance as below:



2.8 AnvilBenchmark_V110_B337

2.8.1 show [Micron 512GB \(MTFDDAT512MAY mSATA SSD\)](#) performance as below:





S301F Converter Card

3. Burn In Tests and Results


3.1 BurnInTest v8.1 Pro

3.1.1 system information for **mSATA 512GB** as below:




S301F Converter Card

3.1.2 show Disk test mode (10 ways cycle test)



3.1.3 show 24-hour Burn-in test PASSED



S301F Converter Card

4. Summary

- 4.1 mSATA SSD is SATA 3 Interface, I/O speed, max. to 6Gbps.
- 4.2 S301F adapter I/O performance is based on mSATA SSD Card.