



# MINERVA

## USB 3.1 Gen 2 Enclosure for mSATA SSD & CFast Card with Micro-B

---

### Performance & Burn In Test Rev. 1.0

#### Table of Contents

---

1. Overview
  
2. Performance Measurement Tools and Results
  - 2.1 Test Platform
  - 2.2 Test target and Used mSATA SSD
  - 2.3 Install Hardware
  - 2.4 BIOS & Windows 10 OS environment setup
  - 2.5 CrystalDiskMark 3.0.2 x64 performance test
  - 2.6 AS SSD Benchmark 1.9 performance test
  - 2.7 ATTO Disk Benchamrk 2.47 performance test
  - 2.8 AnvilBenchmark\_V110\_B337 Benchmark performance test
  
3. Burn In Tests and Results
  - 3.1 BurnInTestv8.1 Pro burn in test
  
4. Summary

# USB 3.1 Gen 2 Micro-B for mSATA SSD & CFast Card Enclosure

---

## 1. Overview

U4275F enclosure, built-in USB3.1 Micro-B connectors, provides one Mini PCI-e connector and one CFast Card connector. First mSATA SSD inserts into Mini PCI-e connector or CFast Card inserts into CFast connector, using USB type-C to Micro-B cable to connect to the host, mSATA SSD or CFast Card, can only one work, mSATA SSD would be priority.

## 2. Tools and Results of Performance Measurement

### 2.1 Test Platform

M/B : GIGABYTE **Z170X UD5 TH**  
CPU : Intel **i5-6500**, 3.2GHz/ 6M Cache/ LGA1150  
Memory : Kingston **KVR21N15D8/8**, **DDR4-2133MHz**, **16G**(8GB DIMM\*2)  
ATX Power : COOLER MASTER G750M, **750W ATX**, 12V V2.2 Power Supply  
Graphic : Z170 Chipsets built-in **HD Graphics 530**  
Cable : type-C to Micro-B cable  
OS : Microsoft **Windows 10 64bit OS**


### 2.2 Test target: U4275F enclosure and CFast 128GB(Trancend [TS128GCFX600](#))



U4275F Adapter



USB C type to micro B cable



Transcend CFast 128GB

### 2.3 Install Hardware

Insert CFast Card into U4275F enclosure's CFast connector. Then this enclosure through USB cable to connect to USB3.1 port of type-C GIGABYTE **Z170X UD5 TH**

### 2.4 BIOS & Windows 10 OS environment setup


- 2.4.1 install Windows 10 64bit OS.
- 2.4.2 U4275F enclosure formatted NTFS.

# USB 3.1 Gen 2 Micro-B for mSATA SSD & CFast Card Enclosure

## 2.5 CrystalDiskMark 3.0.2 x64 performance test

※Benchmark (Sequential **Read & Write** / default = **1MB**)


2.5.1 show CFast 128GB(Trancend [TS128GCFX600](#)) performance as below:



## 2.6 AS SSD Benchmark 1.9 performance test

※Benchmark (**Read & Write** by MB/s, default block size = **16MB**)


2.6.1 show CFast 128GB(Trancend [TS128GCFX600](#)) performance as below:



# USB 3.1 Gen 2 Micro-B for mSATA SSD & CFast Card Enclosure

## 2.7 ATTO Disk Benchmark 2.47 performance test

2.7.1 show CFast 128GB(Trancend TS128GCFX600) performance as below:



## 2.8 AnvilBenchmark\_V110\_B337

2.8.1 show CFast 128GB(Trancend TS128GCFX600) performance as below:





# USB 3.1 Gen 2 Micro-B for mSATA SSD & CFast Card Enclosure

## 3. Burn In Tests and Results


### 3.1 BurnInTest v8.1 Pro

3.1.1 **system information** for CFast 128GB(Trancend [TS128GCFX600](#)) as below:




# USB 3.1 Gen 2 Micro-B for mSATA SSD & CFast Card Enclosure

## 3.1.2 show CFast Card test mode( 10 ways cycle test)



## 3.1.3 show 24-hour Burn-in test for CFast 128GB(Trancend TS128GCFX600) PASSED



# USB 3.1 Gen 2 Micro-B for mSATA SSD & CFast Card Enclosure

---

## 4. Summary

- 4.1 USB 3.1 is 10Gbps Interface.
- 4.2 SATA III is 6Gbps Interface.
- 4.3 CFast Card is SATA III Interface, I/O speed, max. to 600MB/s.
- 4.4 U4275F enclosure I/O performance is based on mSATA SSD.