




www.minerva.com.tw

| | |
|-------------------------|----------------------|
| Report No. | FAI-105771 |
| ID | S21042334 |
| Cable Type_AWG | 30AWG |
| Part Number | GDC56-3303 |
| Serial Number | #1 |
| Cable Length | 750mm |
| Test Card Serial Number | TFR-0134.A |
| Quantity | 2PCS |
| Tester | Tan Suomei |
| Test Date | 4/29/2021 9:32:02 AM |
| Test Equipment | K-M9037A-52853 |
| Test Criteria | PCIE GEN 4 |
| Approved by | Jason Huang |


| Test Item | Pass/Fail |
|-----------------|-----------|
| SCD11/22 | Pass |
| SDD21 | Pass |
| SDD11 | Pass |
| SDD22 | Pass |
| PSNEXT | Pass |
| PSFEXT | Pass |
| TDD11 IMPEDANCE | Pass |
| TDD22 IMPEDANCE | Pass |
| SCC11/22 | Pass |
| SCD21-SDD21 | Pass |
| NEXT | Pass |
| FEXT | Pass |

Note : 1. Test Fixtures are de-embedded
2. Temperature : 23.2 °C / Humidity : 58.5 %


SCD11/22




SDD21




SDD11




SDD22




PSNEXT




PSFEXT




TDD11 IMPEDANCE




TDD22 IMPEDANCE




SCC11/22



SCD21-SDD21



NEXT



FEXT

